



Skjøde

Tilgængelige filer:

logo_v1_pos_cmyk.eps
logo_v1_pos_cmyk.pdf
logo_v1_pos_rgb.jpg
logo_v1_pos_rgb.png
logo_v1_pos_pantone.eps
logo_v1_pos_pantone.pdf



Skjøde

Tilgængelige filer:

logo_v1_neg_cmyk.eps
logo_v1_neg_cmyk.pdf
logo_v1_neg_rgb.jpg
logo_v1_neg_rgb.png
logo_v1_neg_pantone.eps
logo_v1_neg_pantone.pdf



Tilgængelige filer:

logo_v1_bred_pos_cmyk.eps
logo_v1_bred_pos_cmyk.pdf
logo_v1_bred_pos_rgb.jpg
logo_v1_bred_pos_rgb.png
logo_v1_bred_pos_pantone.eps
logo_v1_bred_pos_pantone.pdf



Skjøde

Vi skaber de rigtige rammer

Tilgængelige filer:

logo_v1_pos_slogan_cmyk.eps
logo_v1_pos_slogan_cmyk.pdf
logo_v1_pos_slogan_rgb.jpg
logo_v1_pos_slogan_rgb.png
logo_v1_pos_slogan_pantone.eps
logo_v1_pos_slogan_pantone.pdf



Respektafstand

Det er vigtigt at der altid er luft omkring logoet. Der må derfor som udgangspunkt ikke placeres emner tættere på logoet end vist på skitsen her.

Primærfarver



Pantone:	287 C		
Cyan:	100 %		
Magenta:	75 %		
Yellow:	2 %		
Black:	17 %		
RGB:	0	51	141
HTML:	00338D		



Pantone:	299 C		
Cyan:	86 %		
Magenta:	8 %		
Yellow:	0 %		
Black:	0 %		
RGB:	0	161	222
HTML:	00A1DE		



Pantone:	289 C		
Cyan:	100 %		
Magenta:	76 %		
Yellow:	12 %		
Black:	68 %		
RGB:	0	34	68
HTML:	002244		

Sekundærfarver



Pantone:	158 C		
Cyan:	0 %		
Magenta:	65 %		
Yellow:	95 %		
Black:	0 %		
RGB:	227	114	34
HTML:	E37222		



Pantone:	361 C		
Cyan:	80 %		
Magenta:	0 %		
Yellow:	98 %		
Black:	0 %		
RGB:	52	178	51
HTML:	34B233		



Pantone:	423 C		
Cyan:	22 %		
Magenta:	14 %		
Yellow:	20 %		
Black:	45 %		
RGB:	142	144	143
HTML:	8E908F		